

**WHAT IS CLAIMED:**

1. An isolated hypersensitive response elicitor protein comprising an isolated pair or more of spaced apart domains, each comprising an acidic portion linked to an alpha-helix and capable of eliciting a hypersensitive response in plants.
2. A protein according to claim 1, wherein the protein is recombinant.
3. An isolated nucleic acid molecule encoding a protein according to claim 1.
4. A nucleic acid molecule according to claim 3, wherein each domain is from a different source organism.
5. A nucleic acid molecule according to claim 3, wherein there are 3 or more spaced apart domains.
6. An expression vector containing a nucleic acid molecule according to claim 3 which is heterologous to the expression vector.
7. An expression vector according to claim 6, wherein the nucleic acid molecule is positioned in the expression vector in sense orientation and correct reading frame.
8. A host cell transformed with the nucleic acid molecule according to claim 3.
9. A host cell transformed according to claim 8, wherein the host cell is selected from the group consisting of a plant cell, a eukaryotic cell, and a procaryotic cell.

10. A host cell according to claim 8, wherein the nucleic acid molecule is transformed with an expression system.

5 11. A transgenic plant transformed with the nucleic acid molecule of claim 3.

12. A transgenic plant according to claim 11, wherein the plant is selected from the group consisting of alfalfa, rice, wheat, barley, rye, cotton, sunflower, peanut, corn, potato, sweet potato, bean pea, chicory, lettuce, endive,  
10 cabbage, brussel sprout, beet, parsnip, cauliflower, broccoli, turnip, radish, spinach, onion, garlic, eggplant, pepper, celery, carrot, squash, pumpkin, zucchini, cucumber, apple, pear, melon, citrus, strawberry, grape, raspberry, pineapple, soybean, tobacco, tomato, sorghum, and sugarcane.

15 13. A transgenic plant according to claim 11, wherein the plant is selected from the group consisting of *Arabidopsis thaliana*, *Saintpaulia*, petunia, pelargonium, poinsettia, chrysanthemum, carnation, and zinnia.

20 14. A transgenic plant according to claim 11, wherein the plant is a monocot.

15 15. A transgenic plant according to claim 11, wherein the plant is a dicot.

25 16. A transgenic plant according to claim 11, wherein each domain is from a different source organism.

30 17. A transgenic plant according to claim 11, wherein there are 3 or more spaced apart domains.

18. A transgenic plant seed transformed with the nucleic acid molecule of claim 3.

09379245-061201

19. A transgenic plant seed according to claim 18, wherein the plant is selected from the group consisting of alfalfa, rice, wheat, barley, rye, cotton, sunflower, peanut, corn, potato, sweet potato, bean pea, chicory, lettuce, endive, cabbage, brussel sprout, beet, parsnip, cauliflower, broccoli, turnip, radish, spinach, onion, garlic, eggplant, pepper, celery, carrot, squash, pumpkin, zucchini, cucumber, apple, pear, melon, citrus, strawberry, grape, raspberry, pineapple, soybean, tobacco, tomato, sorghum, and sugarcane.

20. A transgenic plant seed according to claim 18, wherein the plant is selected from the group consisting of *Arabidopsis thaliana*, *Saintpaulia*, petunia, pelargonium, poinsettia, chrysanthemum, carnation, and zinnia.

21. A transgenic plant seed according to claim 18, wherein the plant is a monocot.

22. A transgenic plant seed according to claim 18, wherein the plant is a dicot.

23. A method of imparting disease resistance to plants comprising: applying a protein according to claim 1 to a plant or a plant seed under conditions effective to impart disease resistance to the plant or to a plant grown from the plant seed.

24. A method according to claim 23, wherein the protein is applied to a plant.

25. A method according to claim 23, wherein the protein is applied to a plant seed and further comprising:

planting the plant seed under conditions effective to impart disease resistance to a plant grown from the plant seeds.

0879248 "061201

26. A method of enhancing plant growth comprising:  
applying a protein according to claim 1 to a plant or a plant seed under  
conditions effective to enhance growth of the plants or of a plant grown from the plant  
seed.

5

27. A method according to claim 26, wherein the protein is applied  
to a plant.

28. A method according to claim 26, wherein the protein is applied  
10 to a plant seed and further comprising:  
planting the plant seeds under conditions effective to enhance growth  
of a plant grown from the plant seed.

29. A method of controlling insects comprising:  
15 applying a protein according to claim 1 to a plant or a plant seed under  
conditions effective to control insects.

30. A method according to claim 29, wherein the protein is applied  
to a plant.  
20

31. A method according to claim 29, wherein the protein is applied  
to a plant seed and further comprising:  
planting the plant seed under conditions effective to grow a plant from  
the plant seed and to control insects.

25

32. A method of imparting stress resistance to plants comprising:  
applying a protein according to claim 1 to a plant or a plant seed under  
conditions effective to impart stress resistance to the plant or to a plant grown from  
the plant seed.

30

33. A method according to claim 32, wherein the protein is applied  
to a plant.

0079240-061201



providing a transgenic plant or transgenic plant seed containing the nucleic acid according to claim 3 and

planting the transgenic plant or transgenic plant seed under conditions effective to control insects on the plant or on a plant grown from the plant seed.

5

42. A method according to claim 41, wherein a transgenic plant is provided.

43. A method according to claim 41, wherein a transgenic plant  
10 seed is provided.

44. A method of imparting stress resistance to plants comprising:  
providing a transgenic plant or transgenic plant seed containing the  
nucleic acid according to claim 3 and  
15 planting the transgenic plant or transgenic plant seed under conditions effective to impart stress resistance to the plant or to a plant grown from the plant seed.

45. A method according to claim 44, wherein a transgenic plant is  
20 provided.

46. A method according to claim 44, wherein a transgenic plant  
seed is provided.

47. An isolated hypersensitive response elicitor protein comprising,  
in isolation, a domain comprising an acid portion linked to an alpha-helix and capable  
of eliciting a hypersensitive response in plants.

48. A protein according to claim 47, wherein the protein is  
30 recombinant.

00679248 061204  
102190 04267060

49. An isolated nucleic acid molecule encoding a protein according to claim 47.

50. An isolated nucleic acid molecule according to claim 49,  
5 wherein there are at least 2 domains, each from a different source organism.

51. An isolated nucleic acid molecule according to claim 49,  
wherein there are 3 or more coupled domains.

52. An expression vector containing a nucleic acid molecule  
10 according to claim 49 which is heterologous to the expression vector.

53. An expression vector according to claim 52, wherein the  
nucleic acid molecule is positioned in the expression vector in sense orientation and  
15 correct reading frame.

54. A host cell transformed with the nucleic acid molecule  
according to claim 49.

55. A host cell transformed according to claim 54, wherein the host  
20 cell is selected from the group consisting of a plant cell, a eukaryotic cell, and a  
prokaryotic cell.

56. A host cell according to claim 54, wherein the nucleic acid  
25 molecule is transformed with an expression system.

57. A transgenic plant transformed with the nucleic acid molecule  
of claim 49.

58. A transgenic plant according to claim 57, wherein the plant is  
30 selected from the group consisting of alfalfa, rice, wheat, barley, rye, cotton,  
sunflower, peanut, corn, potato, sweet potato, bean pea, chicory, lettuce, endive,

09879248 061201

cabbage, brussel sprout, beet, parsnip, cauliflower, broccoli, turnip, radish, spinach, onion, garlic, eggplant, pepper, celery, carrot, squash, pumpkin, zucchini, cucumber, apple, pear, melon, citrus, strawberry, grape, raspberry, pineapple, soybean, tobacco, tomato, sorghum, and sugarcane.

5

59. A transgenic plant according to claim 57, wherein the plant is selected from the group consisting of *Arabidopsis thaliana*, *Saintpaulia*, petunia, pelargonium, poinsettia, chrysanthemum, carnation, and zinnia.

10

60. A transgenic plant according to claim 57, wherein the plant is a monocot.

61. A transgenic plant according to claim 57, wherein the plant is a dicot.

15

62. A transgenic plant according to claim 57, wherein there are at least 2 coupled domains, each from a different source organism.

20

63. A transgenic plant according to claim 57, wherein there are 3 or more coupled domains.

64. A transgenic plant seed transformed with the nucleic acid molecule of claim 49.

25

65. A transgenic plant seed according to claim 64, wherein the plant is selected from the group consisting of alfalfa, rice, wheat, barley, rye, cotton, sunflower, peanut, corn, potato, sweet potato, bean pea, chicory, lettuce, endive, cabbage, brussel sprout, beet, parsnip, cauliflower, broccoli, turnip, radish, spinach, onion, garlic, eggplant, pepper, celery, carrot, squash, pumpkin, zucchini, cucumber, apple, pear, melon, citrus, strawberry, grape, raspberry, pineapple, soybean, tobacco, tomato, sorghum, and sugarcane.

30

06579246, 061201





74. A method according to claim 72, wherein the protein is applied to a plant seed and further comprising:

planting the plant seed under conditions effective to enhance growth of a plant grown from the plant seed.

5

75. A method of controlling insects comprising:

applying a protein according to claim 47 to a plant or a plant seed under conditions effective to control insects.

10

76. A method according to claim 75, wherein the protein is applied to a plant.

77. A method according to claim 75, wherein the protein is applied to a plant seed and further comprising:

15

planting the plant seed under conditions effective to grow a plant from the plant seed and to control insects.

78. A method of imparting stress resistance to plants comprising:

20

applying a protein according to claim 47 to a plant or a plant seed under conditions effective to impart stress resistance to the plant or to a plant grown from the plant seed.

25

79. A method according to claim 78, wherein the protein is applied to a plant.

80. A method according to claim 78, wherein the protein is applied to a plant seed and further comprising:

planting the plant seed under conditions effective to impart stress resistance to a plant grown from the plant seed.

30

81. A method of imparting disease resistance to plants comprising:



89. A method according to claim 87, wherein a transgenic plant seed is provided.

5 90. A method of imparting stress resistance to plants comprising:  
providing a transgenic plant or transgenic plant seed containing the  
nucleic acid according to claim 49 and  
planting the transgenic plant or transgenic plant seed under conditions  
effective to impart stress resistance to the plant or to a plant grown from the plant  
10 seed.

91. A method according to claim 90, wherein a transgenic plant is provided.

15 92. A method according to claim 90, wherein a transgenic plant seed is provided.

00079245, 661201  
102193, 9166